


Walkway Schematic

Standard Walkway Shapes - 204 R1 Anodized



**Walkway System:
Perspective Assembly**

Perspective Assembly shows basic construction, all systems have welded connections where applicable. With the exception of roofing screws, all additional connections are blind.


Walkway Systems

<p>2 x 8 x .075 Self Mating</p>	<p>3 x 6 Self Mating Canopy</p>	<p>3 x 6 x .078 Self Mating</p>	<p>3 x .045 Extruded Header</p>	
<p>3 x 12 Carport Roll Form Roof Pan (5 Rib)</p>		<p>3 x 12 x .050 Carport Roll Form Roof Pan (2 Rib)</p>		
<p>WWC-17 "P" Roof Pan x 24' 2"</p>	<p>WWC-19 "P" Cap (Flat) x 24' 2"</p>	<p>1/2 Bottom</p>	<p>Bottom</p>	
<p>2" Pan End Cap x 12' 1"</p>	<p>T-Flashing x 24'</p>		<p>2-3/4 Top</p>	<p>4-1/2 Top</p>

Walkway Systems


<p>4 x 6 x .093 Gutter Fascia x 24'</p>	<p>3 x 8 x .125 Gutter Fascia x 24'</p>	<p>4 x 8 x .125 Gutter Fascia x 24'</p>	<p>4 x 8 x 3 x .125 Gutter</p>	<p>4 x 8 x 3 x .135 Gutter Fascia</p>
<p>4 x 10 x 4 x .125 Gutter Fascia x 24'</p>	<p>4 x 12 x 5 x .160 Gutter Fascia x 24'</p>	<p>Gutter/Fascia Extender x 24'</p>	<p>10" Industrial Channel Fascia</p>	<p>12" Industrial Channel Fascia</p>
<p>6.1 x .070 Fascia x 24'</p>	<p>6.404 x 1 x .070 Side Fascia x 24' (F-2 - w/hook)</p>	<p>Fascia Splice x 20'</p>	<p>4 x 4 x .150 Gutter Beam x 20'</p>	
<p>4 x 6 x .190/.125 Gutter Beam x 24' 2"</p>	<p>4 x 8 x .190/.150 Gutter Beam x 24' 2"</p>	<p>6 x 6 x .150 Gutter Beam x 24' 6"</p>	<p>6 x 6 x .130/.190 Gutter Beam</p>	

Walkway Systems



Architectural Posts

Available in a variety of sizes, alloys & finishes



Square Aluminum Tube

Size in Inches (E x M x S)

- 4 x .125 x 24'
- 4 x .125 x 24' 2" w/radius
- 4 x .125 x 24' 2" w/radius
- 4 x .150 x 22' w/radius
- 4 x .150 x 22' w/radius
- 4 x .156 (w/radius; 4 screw boss)
- 4 x .1875 x 24'
- 4 x .250 x 24'
- 4.25 x .250 x 24' (w/.375 radius)
- 4.5 x .093 w/.125 radius
- 5 x .125 x 24'
- 5 x .250 x 24'
- 6 x .125 x 24'
- 6 x .150 x 24' 6" w/radius
- 6 x .180 x 24' w/.250 radius
- 6 x .180 (w/radius; 4 screw boss)
- 6 x .25 x 24'
- 6 x .50 x 24'
- 7 x .156 x 24'
- 8 x .188 x 24'
- 8 x .250 x 24'
- 8 x .50 52-61-3166
- 10 x .250 x 24' w/radius
- 12 x .250 x 24' w/.125 radius

Rectangular Aluminum Tube

Size in Inches (E x M x S)

- 1 x 4 x .125 x 24'
- 2 x 6 x .125 x 24'
- 2 x 6 x .250x 24'
- 2 x 6 x .250x 24'
- 2 x 8 x .125 x 24'
- 2 x 8 x .250x 24'
- 2 x 10 x .125x 24'
- 2 x 10 x .156 (w/radius; 4 screw bosses)
- 2 x 10 x .250
- 2 x 12 x .156 (w/radius; 4 screw bosses)
- 2 x 12 x .188 x 24'
- 4 x 6 x .125 x 24'
- 4 x 6 x .125 x 24'
- 4 x 6 x .15 x 24' 2" w/radius
- 4 x 6 x .15 x 24' 2" w/radius
- 4 x 6 x .188 x 24'
- 4 x 6 x .250x 24'
- 4 x 6 x .250 x 28'
- 4 x 8 x .19/.15 x 24' 2" w/radius
- 4 x 8 x .250x 24'
- 4 x 8 x .250 x 28'
- 4 x 10 x .188
- 4 x 10 x .250 w/.25 radius
- 4 x 12 x .250 x 26'
- 5 x 10 x .250/.350 x 16' w/.35 radius
- 6 x 8 x .188 x 25' w/radius
- 6 x 8 x .188 X 30' w/radius
- 6 x 8 x .188 x 25' w/radius
- 6 x 8 x .188 x 30' w/radius
- 6 x 8 x .500 w/.062 radius
- 6 x 10 x .19 x 25' w/radius
- 6 x 10 x .19 x 30' w/radius
- 6 x 10 x .19 x 25' w/radius
- 6 x 10 x .19 x 30' w/radius
- 6 x 12 x .250 (w/.125 radius)
- 6 x 14 x .250 (w/.125 radius)
- 8 x 12 x .50 (w/.062 rad)

*0.125" Outside Radius and 0.25" Inside Radius